	© Co	terial Compo pyright 2005. IPC, Bannoc Iternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level p	arts, the	declaratio	n enco		er level mate	erials for	which t	e item is an assembly he manufacturer has declaration.
1/32-2 1.1		Web Site for Informat		-1752 Standa	rd		Form Type *Declaration Class *DistributeClass 6 - RoHS Yes/No, Homogeneous Mate					aterial	s and Mfg Informa	
Supplier Information														
Company Name *		Company Unique ID		Unique ID Au	Response Date *				Response Doc					
SEMTECH CORPORATION 00-847-9941				DUNS	2022-10-19									
Contact Name * Debbie Mollner	Title - Contact QA Customer/Docun		Phone - Cor 805-498-211	Email - Contact * dmollner@semtech.com			m	Duplicate Contact -> Authorized Representative						
Authorized Representative * Title - Representative Debbie MolIner QA Customer/Doc				Phone - Representative * Contro805-498-2111			Email - Representative * dmollner@semtech.com			Supplier Comr	nents or URI	_ for Addi	tional l	nformation
Requester Item Number		Mfr Item Number		Mfr Item Name			Version	Manuf	acturing Site	turing Site Weight *		М	Unit Type	
	GS12281-INE3			12G UHD-SD			Malays		sia 68.66		mg		Each	
Alternate Recommenda	ation				Alternate Item C			omments						
Manufacturing Proces	s In	formation												
Terminal Plating / Grid Array N	Materi	al	Terminal Ba	ase Alloy	J-STD-020 MSL Ra	ting	Peak Proc	cess Body	Tempe	rature Max Time	at Peak Tem	perature	Number	of Reflow Cycles
Other CU Alloy				260			260 (;	30 se	econds	3			
GS12281-INE3 is REACH	-com	pliant product, per	EU Regula	ation EC1907	/2006 to include	the mo	st recen	t additio	ns to t	he SVHC cand	idate list of	substan	ces. cł	dm

Save the fields in this form to a file	Export Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cumption Fields				
RoHS Material Composition Declaration Declaration Declaration Type * Detailed											
		limit of 0.1% by mass (100 thers (PBDE) and quantity	, .				ominated Biphenyls (PBB),				
chromium, polybrominate excess of an applicable of gathered the information Company will rely on this completing this form, and certifications regarding the conditions of that agreen	ed biphenyls and/or polybrominated quantity limit, please indicate below it provides in this form using approp certification in determining the com I that Supplier may not have independent rein contributions to the part, and the nent, including any warranty rights a	which, if any, RoHS exemption you b priate methods to ensure its accuracy apliance of its products with European andently verified such information. Ho pose certifications are at least as comp	icted substance") in excess believe may apply. If the p y and that such information n Union member state laws bowever, in situations where prehensive as the certification that agreement, will be the s	of the applicable quantity limit bart is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independentl on in this paragraph. If the Co ole and exclusive source of the	identified above. If a homogene- evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges to y verified information provided by mpany and the Supplier enter into a Supplier's liability and the Comp	eous material within the part cont n shall encompass all such comp f the date that Supplier complete that Supplier may have relied on y others, Supplier agrees that, at to a written agreement with response upany's remedies for issues that a	tains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that				
RoHS Declaration	n * 1 - Item(s) does not contain	RoHS restricted substances per th	he definition above			Supplier Acceptance *	Accepted				
	declared item does not cont Il applicable exemptions.	ain RoHS restricted substanc	es per the definition a	bove except for defined	RoHS exemptions, then s	select the corresponding re	esponse in the RoHS Declaration				
Declaration Si	gnature										
		C 1 1 11 C (1 1)				T 1: 10 11 1 4	D' i ll i				

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous		Unit of		Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of Measure	Tolerance		PPM
	Name		Material	Weight	Measure		Level	oubstance outegory					LYCINPL			-	+	
+ -	Lead frame	+M -M	Cu194 Copper al	33.12	mg	+C -C	Supplier		+S -	s	Cu	7440-50-8		31.87	mg		,	464,14
		_							+S -	·s	Zinc	7440-66-6		0.03	mg			482.38
									+S -	s	Ferrous	7439-89-6		0.76	mg			11,094
									+S -	·s	Phosphorus	7723-14-0		0.02	mg			337.66
						+C -C	A		+S -	s	Lead	7439-92-1		0	mg			48.24
						+C -C	В		+S -	s	Nickel	7440-02-0		0.4	mg			5,788.5
						+C -C	Supplier		+S -	s	Gold	7440-57-5		0.01	mg			144.71
									+S -	·s	Silver	7440-22-4		0.01	mg			96.48
									+S -	·s	Palladium	7440-05-3		0.02	mg			241.19
+ -	Die	+M -M	Doped Silicon	2.01	mg	+C -C	Supplier		+S -	s	Si	7440-21-3		2.01	mg		:	29,274
+ -	Die attach material	+M -M	8006NS Screen p	0.82	mg	+C -C	Supplier		+S -	s	Aluminium oxide	1344-28-1		0.25	mg		:	3,582.8
			-						+S -	s	Diethylene glycol mono	112-15-2		0.33	mg			4,777.1
									+S -	s	Epoxy resin	25068-38-6		0.06	mg			836
									+S -	·s	Epoxy resin	Proprietary		0.16	mg			2,388.5
									+S -	·s	Aromatic amine	Proprietary		0.02	mg			358.29
+I -I	Bonding wire	+M -M	Gold	0.72	mg	+C -C	Supplier		+S -	s	Au	7440-57-5		0.72	mg			10,486
+1 -1	Encapsulation	+M -M	EME-G770	31.99	mg	+C -C	Supplier		+S -	s	Silica fused	60676-86-0		29.97	mg			436,56
									+S -	s	Epoxy resin	Proprietary		0.96	mg			13,977
									+S -	·s	Phenol resin	Proprietary		0.96	mg			13,977
									+S -	S	Carbon Black	1333-86-4		0.1	mg			1,397.7