ASSOCIATION CON ELECTRONICS INC		aterial Compo Copyright 2005. IPC, Bannoc n international and Pan-Ameri	kburn, Illinois	. All rights reserve	tion with lower	level part	s, the o	declaratio	n encon		ver level mate	rials for v	vhich the	item is an assembly e manufacturer has eclaration.	
1752-2 1.1	1	C Web Site for Informat p://www.ipc.org/IPC-1	rd	Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa								
Supplier Infor	rmation														
Company Nam	ne *	Company Unique ID		Unique ID Au	Ithority	Respon	se Date	• *		Response Do	cument ID				
SEMTECH CORPORATION		SEMTECH CORPOR	RATION		2016-05-24										
Contact Name *		Title - Contact		Phone - Con	Email - Contact *						A .1				
Elvia Finkel		Specialist, Documen	t Control/C	805-498-2111		efinkel@semtech.com				Duplicat	e Contact -	> Authori	zed Rep	presentative	
Authorized Representative * T		* Title - Representative	Э	Phone - Representative *		Email - Representative *			*	Supplier Comments or URL for Additional Information					
Elvia Finkel		Specialist, Documen	t Control/C	1-805-498-21	efinkel@semtech.com										
Requester It	tem Number	Mfr Item Number		Mfr Item Name		Effective I	Effective Date Versio		Manufacturing Site		Weight *	UON	1	Unit Type	
		GS3441-INE3		Extended Rea	ach 3G/HD/SD Ad	a			Malays	sia 46.77		mg		Each	
Alternate R	Recommendatio	n			Alterna		Alternate	e Item Comments		1					
Manufacturin	ng Process	Information													
Terminal Plating /	Grid Array Mat	erial	Terminal Ba	ase Alloy	J-STD-020 MSL Ra	ting Pe	ak Proc	ess Body	Tempera	ature Max Time	e at Peak Temp	erature N	lumber o	f Reflow Cycles	
Matte Tin (Sn) - annealed CU Alloy				260			260 C		30 seconds 3			-			
Comments GS3441-INE3 is	s REACH-coi	npliant product, per E	U Regulat	tion EC1907/2	2006 to include re	ecent add	dition o	of SVHC	candid	ate list of sub	ostances in D	ecembe	r 2015		

Save the fields in this form to a file	Evport Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cupplier Fields
RoHS Materia	Composition Declar	ation				Declaration Type	* Detailed
		ty limit of 0.1% by mass (100 Ethers (PBDE) and quantity					ominated Biphenyls (PBB),
chromium, polybromina excess of an applicable gathered the information Company will rely on thi completing this form, ar certifications regarding conditions of that agree	ted biphenyls and/or polybrominate quantity limit, please indicate below it provides in this form using app s certification in determining the co d that Supplier may not have inde heir contributions to the part, and ment, including any warranty rights	ompliance of its products with European pendently verified such information. Ho those certifications are at least as comp	ricted substance?) in excess believe may apply. If the p y and that such information n Union member state laws owever, in situations where prehensive as the certificati hat agreement, will be the s	ss of the applicable quantity lim part is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independently ion in this paragraph. If the Co sole and exclusive source of the	it identified above. If a homoge evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges y verified information provided lo popany and the Supplier enter is a Supplier?s liability and the Co	eneous material within the part cor on shall encompass all such comp of the date that Supplier complete: s that Supplier may have relied on by others, Supplier agrees that, at into a written agreement with resp impany?s remedies for issues that	ntains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that information provided by others in a minimum, its suppliers have provided
RoHS Declaration	n * 1 - Item(s) does not conta	ain RoHS restricted substances per the	he definition above			Supplier Acceptance *	Accepted
	e declared item does not co all applicable exemptions.	ntain RoHS restricted substanc	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding re	esponse in the RoHS Declaration
Declaration S	ignature						
In a family of the second	ward a factor and the factor of the second s	al Calaba and all manages of the last		a second se	• • • • •	and the second s	town - town

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous		Unit of		Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of	Tolerance		PPM
	Name		Material	Weight	Measure			oubstance outegory			oubstance		Exempt	weight	Measure	-	+	
+ -	Silicon Die	+M -M	IC	3.22	mg	+C -C	Supplier		+S	-S	Si	7440-21-3		3.2	mg			993,78
									+S	-s	AI	7429-90-5		0.02	mg			6,211
+ -	Lead Frame	+M -M	A194-FH	21.17	mg	+C -C	Supplier		+S	-S	Copper	7440-50-8		20.41	mg		,	964,20
									+S	-S	Iron	7439-89-6		0.5	mg			23,500
									+S	-s	Zinc	7440-66-6		0.03	mg			1,300
									+S	-s	Phosphorous	7723-14-0		0.02	mg			1,000
									+S	-s	Silver	7440-22-4		0.21	mg			10,000
+ -	Die Attach	+M -M	1076DS	0.49	mg	+C -C	Supplier		+S	-S	Silver	7440-22-4		0.38	mg			762,50
									+S	-s	Epoxy Resin	9003-36-5		0.06	mg			125,00
									+S	-s	Diluent	Trade Secre		0.03	mg			65,000
									+S	-s	Phenolics	Trade Secre		0.01	mg			30,000
									+S	-s	Dicyandiamide	461-58-5		0	mg			5,000
									+S	-s	Epoxy Silane	Proprietray		0.01	mg			12,500
+ -	Wire	+M -M	EX 11 Mil Pd Co	0.12	mg	+C -C	Supplier		+S	-s	Copper	7440-50-8		0.12	mg		-	973,90
							L		+S	-s	Palladium	7440-05-3		0	mg			26,000
									+S	-s	Impurities	N/A		0	mg			100
+ -	Mold Compound	+M -M	G700H	20.16	mg	+C -C	Supplier		+S	-S	Epoxy Resin	Trade Secre		0.6	mg			30,000
				1			L	1	+S	-S	Phenol Resin	Trade Secre	•	0.6	mg			30,000
									+S	-s	Carbon Black	1333-86-4		0.06	mg			3,000
									+S	-s	Silica Fused	60676-86-0		18.9	mg			937,00
+ -	Lead Finish (Platir	ng+M -M	Tin	1.61	mg	+C -C	Supplier		+S	-S	Tin	7440-31-5		1.61	mg			999,90
	l		L	1		+C -C	A		+S	-s	Lead	7439-92-1		0	mg			100