ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Composit pyright 2005. IPC, Bannockburn nternational and Pan-American c	n, Illinois	. All rights reserved	on with lowe	r level	parts, the	declaratio	n enco		wer level mate	erials for which	the item is an assembly the manufacturer has declaration.			
1752-2 1.1	IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x									Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa						
Supplier Information																
Company Name *		Company Unique ID		Unique ID Auth	Resp	Response Date *			Response Document ID							
SEMTECH CORPORATION		SEMTECH CORPORAT														
Contact Name *		Title - Contact	Phone - Conta	Email	Email - Contact *			5 "	0	A .1 ! !	5					
Elvia Finkel		Inside Sales	805-498-2111	efink	efinkel@semtech.com			Duplicat	e Contact -	-> Authorized	Representative					
Authorized Representat	ive *	Title - Representative	Phone - Repre	Email - Representative *			*	Supplier Comments or URL for Additional Information								
Elvia Finkel		Inspector QA, Source		1-805-498-211	1 X 2643	efinke	el@semte	ch.com								
Requester Item Number		Mfr Item Number	Mfr Item Name		Effecti	ve Date	Version	Manuf	acturing Site	Weight *	UOM	Unit Type				
		GS9077-CNE3	Adaptive Cable				Malay	sia	45.23	mg	Each					
Alternate Recommend							Alternate	Item C	omments			•				
Manufacturing Proce	ss In	formation				•										
Terminal Plating / Grid Array	Mater	ial Terr	minal B	ase Alloy J	I-STD-020 MSL R	ating	Peak Proc	ess Bodv	Tempe	rature Max Tim	e at Peak Temi	perature Numb	er of Reflow Cycles			
Matte Tin (Sn) - annealed			CU Alloy 3			J				;		econds 3				
Comments										•		·				

GS9077-CNE3 is a REACH-compliant product, per EU Regulation EC1907/2006 to include recent addition of SVHC candidate list of substances September 2012

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a ?RoHS restricted substance?) in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier?s liability and the Company?s remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem			Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Evemnt	Weight	Unit of Measure	Tolerance		PPM
	Name			Material	weight	Measure			Levei	Substance Category			Substance	CAS	Exempt			-	+	FFIVI
+1 -	Leadframe	+N	1 -м	C194-FH	17.79	mg	+C	C	Supplier		+S	-S	Cu	7440-50-8		17.35	mg		9	975,10
	•										+S	-s	Fe	7439-89-6		0.42	mg		7	23,600
											+S	-s	Zn	7440-66-6		0.02	mg		-	1,266
											+S	-s	Р	7723-14-0		0	mg		:	34
+1 -	Mold Compound	+N	1 -м	EME G770HCD	22.85	mg	+C -	·C s	Supplier		+S	-S	Silica Fused	60676-86-0		21.41	mg		õ	937,00
											+S	-s	Epoxy Resin	Trade Secre		0.69	mg		;	30,000
											+S	-s	Phenol Resin	Trade Secre)	0.69	mg		:	30,000
											+S	-s	Carbon Black	1333-86-4		0.07	mg		;	3,000
+1 -	Chip	+N	1 -м	Silicon	1.86	mg	+C	C s	Supplier		+S	-s	Si	7440-21-3		1.85	mg		6	995,00
	•										+S	-s	Al	7429-90-5		0.01	mg		ţ	5,000
+1 -	Die Attach	+N	1 -м	CRM-1076NS	1.1	mg	+C	C	Supplier		+S	-s	Ag	7440-22-4		0.88	mg		8	800,00
	•										+S	-s	Epoxy Resin	900-36-5		0.12	mg		1	105,00
											+S	-s	1,2-Epoxy-3-(Tolyloxy)	26447-14-3		0.07	mg		f	60,000
											+S	-s	Biphenol-F	620-92-8		0.03	mg		;	30,000
											+S	-s	Dicyandiamide	461-58-5		0.01	mg			5,000
+1 -	Wire	+N	1 -м	GL2	0.4	mg	+C	·C s	Supplier		+S	-S	Au	7440-57-5		0.4	mg		6	999,90
+1 -	Terminals Finish	+N	1 -м		1.15	mg	+C -	C S	Supplier		+S	-S	Sn	744-31-5		1.15	mg		1	1,000,0
+1 -	Internal Pad Platin	g+N	1 -M		0.08	mg	+C	C s	Supplier		+S	-s	Ag	7440-22-4		0.08	mg		1	1,000,0