	© Cop	terial Compo pyright 2005. IPC, Bannoc ternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level p	oarts, the	declaratio	n encomp	basses all low		rials for	which th	e item is an assembly ne manufacturer has leclaration.	
1/32-2 1.1		Veb Site for Informat //www.ipc.org/IPC-1		-1752 Standa	rd				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa						
Supplier Information															
Company Name *		Company Unique ID		Unique ID Authority			Response Date *			Response Document ID					
SEMTECH CORPORATION 00-847-9941				DUNS		2014- <sup>-</sup>	12-17								
Contact Name * Roya Motamedi	Title - Contact QA Customer Servic	e Specialis				Email - Contact * 805-389-2742			Duplicate Contact -> Authorized Representative						
Authorized Representativ Roya Motamedi		Title - Representative QA Customer Servic		-	resentative * 2		- Repres 89-2742	entative	* SI	upplier Comn	nents or URL	for Add	ditional Ir	nformation	
Requester Item Number	1	Mfr Item Number	Item Number		I.	Effectiv	/e Date	Version	Manufact	turing Site	Weight *	UC	M	Unit Type	
	I	LCDA24C-1.TCT		24 V Low-Ca	pacitance TVS Dio				Philippin	es	10	mg	)	Each	
Alternate Recommenda	Alternate Recommendation							Alternate Item C							
Manufacturing Proces	s Inf	ormation													
Terminal Plating / Grid Array N	/lateria	al	Terminal Ba	ase Alloy	J-STD-020 MSL Ra	ating	Peak Proc	ess Body	Temperat	ure Max Time	at Peak Temp	erature	Number	of Reflow Cycles	
Matte Tin (Sn) Alloy 42 Comments			Alloy 42		1		26				<b>30</b> sec	conds	3		
LCDA24C-1.TCT is a REA	CH-c	compliant product,	per EU Re	gulation EC1	907/2006 to inclu	ide rec	cent addit	tion of S	VHC can	didate list of	f substances	s in Jur	ne 2014.		

Save the fields in this form to a file	Export Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cumption Fields
<b>RoHS Material</b>	Composition Declara	tion				Declaration Type	* Detailed
		limit of 0.1% by mass (100 thers (PBDE) and quantity	, .				ominated Biphenyls (PBB),
chromium, polybrominate excess of an applicable of gathered the information Company will rely on this completing this form, and certifications regarding the conditions of that agreen	ed biphenyls and/or polybrominated quantity limit, please indicate below it provides in this form using approp certification in determining the com I that Supplier may not have independent rein contributions to the part, and the nent, including any warranty rights a	which, if any, RoHS exemption you b priate methods to ensure its accuracy apliance of its products with European andently verified such information. Ho pose certifications are at least as comp	icted substance") in excess believe may apply. If the p y and that such information n Union member state laws bowever, in situations where prehensive as the certification that agreement, will be the s	of the applicable quantity limit bart is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independentl on in this paragraph. If the Co ole and exclusive source of the	identified above. If a homogene- evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges to y verified information provided by mpany and the Supplier enter into a Supplier's liability and the Comp	eous material within the part cont n shall encompass all such comp f the date that Supplier complete that Supplier may have relied on y others, Supplier agrees that, at to a written agreement with response upany's remedies for issues that a	tains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that
RoHS Declaration	n * 1 - Item(s) does not contain	RoHS restricted substances per th	he definition above			Supplier Acceptance *	Accepted
	declared item does not cont Il applicable exemptions.	ain RoHS restricted substanc	es per the definition a	bove except for defined	RoHS exemptions, then s	select the corresponding re	esponse in the RoHS Declaration
Declaration Si	gnature						
		C 1 1 11 C (1 1 )			· • • • • •	<b>T</b> 1: 10 11 1 4	D' i ll i

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

## Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem			Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Exempt	Weight		Tolera	ance	РРМ
		Name		Material	weight	Measure			Level	Substance Category			Substance	0,0	Lvempt	Weight	Measure	-	+	
+1	-1	SILICON CHIP	+M -M	Si, Doped	0.5	mg	+C	-C	Supplier		+S	-S	Silicon (Si)	7440-21-3		0.5	mg			50,166
+1	-1	LEAD FRAME, SOT	+M -M	Alloy42	2.9	mg	+C	-C	Supplier		+S	-S	Iron (Fe)	7439-89-6		1.6687	mg			167,41
							+C	-C	в		+S	-s	Nickel	7440-02-0		1.189	mg			119,29
							+C	-C	Supplier		+S	-s	Manganese (Mn)	7439-96-5		0.023	mg			2,328
											+S	-s	Silicon (Si)	7440-21-3		0.0087	mg			873
											+S	-s	Chromium (Cr)	7440-47-3		0.0073	mg			727
											+S	-s	Carbon (C)	7440-44-0		0.0015	mg			145
											+S	-s	Phosphorous (P)	7723-14-0		0.0007	mg			73
											+S	-s	Sulphur (S)	7704-34-9		0.0007	mg			73
											+S	-s	Cobalt (Co)	7440-48-4		0.0003	mg			29
+1	-1	DIE ATTACHED MA	+M -M	84-1LMISR4	0.167	mg	+C	-C	Supplier		+S	-S	Silver (Ag)	7440-22-4		0.142	mg			14,242
											+S	-s	Epoxy Resin	129915-35-1		0.008	mg			838
											+S	-s	Aromatic Amine	Proprietary		0.017	mg			1,676
+1	-1	WIRE BONDING	+M -M	Gold Wire	0.3	mg	+C	-C	Supplier		+S	-S	Gold (Au)	7440-57-5		0.3	mg			30,099
+1	-1	ENCAPSULATION	+M -M	EME-G600	5.3	mg	+C	-C	Supplier		+S	-S	Silica Fused	60676-86-0		4.64	mg			465,28
											+S	-s	Epoxy Resin	129915-35-1		0.27	mg			26,588
											+S	-s	Carbon Black	1333-86-4		0.03	mg			2,659
											+S	-s	Epoxy Cresol Novalac	29690-82-2		0.106	mg			10,635
											+S	-s	Phenol Resin	9003-35-4		0.265	mg			26,588
+1	-1	LEAD FINISH	+M -M	Tin Alloy	0.8	mg	+C	-C	Supplier		+S	-S	Tin (Sn)	7440-31-5		0.8	mg			80,265