ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES ®	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserve	tion with lower	level p	arts, the	declaratior	n encompas	ses all lowe		erials for	which th	e item is an assembly te manufacturer has eclaration.		
1752-2 1.1		Web Site for Informat		-1752 Standa	rd	Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Information																
Company Name *		Company Unique ID		Unique ID Au	Response Date *			Res	oonse Docu	ıment ID						
SEMTECH CORPORATION	ON	00-847-9941		DUNS	2016-	11-07										
Contact Name *		Title - Contact		Phone - Con	Email	- Contact	t *		D l'a a ta	011	۸ دا .					
Roya Motamedi		Supervisor, QA Prod	uct Suppo	805-498-211	rmotamedi@semtech.com			om	Duplicate	Contact -	-> Autho	rizea Re	presentative			
Authorized Representati	ive *	Title - Representative	9	Phone - Rep	Email - Representative *			* Sup	olier Comm	ents or URL	for Add	ditional Ir	formation			
Roya Motamedi		Supervisor, QA Prod	luct Suppo	805-498-211	1	rmota	medi@se	mtech.c	oma							
Requester Item Number		Mfr Item Number		Mfr Item Name		Effectiv	e Date	Version	Manufacturi	ng Site	Weight *	UC	DM	Unit Type		
		RClamp0504FATCT		RailClamp® L	ow Capacitance				China		6.426 r		9	Each		
Alternate Recommenda	ation							Alternate	Item Comme	ents		,		·		
Manufacturing Proces	ss In	formation								_						
Terminal Plating / Grid Array Material			Terminal Base Alloy		J-STD-020 MSL Ra		Peak Proc	eak Process Body Tempe		ature Max Time at Peak		perature	Number of Reflow Cycles			
Matte Tin (Sn)		Alloy 42		1			2	2 <b>60</b> C	30		conds	3				
Comments					1											
RClamp0504FATCT is R	EACI	H-compliant product	, per EU F	Regulation E0	C1907/2006 to inc	lude r	ecent add	lition of	SVHC cand	lidate list o	of substance	es in J	une 2016	S.		

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type \*** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a ?RoHS restricted substance?) in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier?s liability and the Company?s remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance \* Accepted **RoHS Declaration \*** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature** 

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

## **Homogeneous Material Composition Declaration for Electronic Products**

**Subltem Instructions:** The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

**Substance Instructions:** [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem				Homogeneous	Wei		Unit of			Level	Substance Category			Substance	CAS	Evemnt	Weight	Unit of Measure	Tolerance		PPM
	Name				Material	WEI	giit	Measure			Level	Substance Category			Substance	CAS	Lxempt	Weight		-	+	
+1 -1	Die	+	М -I	M	Doped Silicon	0.12	97	mg	+C	-C	Supplier		+S	-S	Si	7440-21-3		0.1297	mg			20,180
+1 -1	Leadframe	+	M -I	M	Alloy 42	2.02	47	mg	+C	٠	Supplier		+S	-S	Fe	7439-89-6		1.1323	mg			176,19
	=								+C	٠	В		+S	-s	Nickel	7440-02-0		0.8053	mg			125,31
									+C	-C	Supplier		+S	-S	Mn	7439-96-5		0.0118	mg			1,834
												•	+S	-s	Cr(not Cr 6+)	7440-47-3		0.002	mg			306
													+S	-s	Со	7440-48-4		0.0098	mg			1,528
													+S	-s	Si	7440-21-3		0.0029	mg			458
													+S	-s	Ag	7440-22-4		0.0606	mg			9,438
+1 -1	Bonding wire	+	M -I	M	Cu	0.01	46	mg	+C	-C	Supplier		+S	-S	Cu	7440-50-8		0.0146	mg			2,278
+1 -1	Mold compound	+	M -I	M	CEL-1702HF-9	3.79	74	mg	+C	-C	Supplier		+S	-S	SiO2	60676-86-0		3.3151	mg			515,87
	,												+S	-s	Epoxy Resin	29690-82-2		0.1899	mg			29,546
													+S	-s	Phenol Resin	26834-02-6		0.1899	mg			29,546
													+S	-s	Aromatic poly-phospha	Proprietary		0.0949	mg			14,773
													+S	-S	С	1333-86-4		0.0076	mg			1,182
+1 -1	Die attach epoxy	+	М -I	М	8200TI	0.06	32	mg	+C	-C	Supplier		+S	-\$	Ag	7440-22-4		0.0506	mg			7,868
	_												+S	-s	Acrylate resins	Proprietary		0.0126	mg			1,967
+1 -1	Tin solder	+	М-I	M	Pure tin	0.39	65	mg	+C	-C	Supplier		+S	-S	Sn	7440-31-5		0.3965	mg			61,707