	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level p	arts, the	declaratior	n encor	mpasses all		aterials fo	r which	ne item is an assembly the manufacturer has declaration.	
1752-2 1.1		Web Site for Informat		-1752 Standa	rd		Form Type *Declaration Class *DistributeClass 6 - RoHS Yes/No, Homogeneous Mat						Materia	ls and Mfg Informat	
Supplier Information															
Company Name *		Company Unique ID		Unique ID Au	Response Date *				Response Document ID						
SEMTECH CORPORATION 00-847-9941				DUNS		2013-1	2-19								
Contact Name * Roya Motamedi		Title - Contact QA Customer Service Specialis				Email - Contact * rmotamedi@semtech.com			om	Duplicate Contact -> Authorized Representative					
Authorized Representative *Title - RepresentatRoya MotamediQA Customer Service				-	resentative * 2	Email - Representative * rmotamedi@semtech.com				Supplier C	omments or U	IRL for Ad	ditional	Information	
Requester Item Number		Mfr Item Number		Mfr Item Name	Effective	e Date	Version	Manufa	acturing Site	Weight	* U	ОМ	Unit Type		
		RClamp1821Z.TNT		Ultra Small R	\$		China		0.1261		m	g	Each		
Alternate Recommenda	ation			Alternate Item Co			omments			-					
Manufacturing Proces	ss In	formation													
Terminal Plating / Grid Array	Materi	ial	Terminal B	ase Alloy	J-STD-020 MSL Ra	ating	Peak Proc	ess Body	Temper	ature Max	Time at Peak Te	emperature	Numbe	r of Reflow Cycles	
Nickel/Palladium/Gold (Ni/Pd/Au) CU Alloy			,	1			260 C			30	seconds	3			
RClamp1821Z.TNT is RE	EACH	I-compliant product	, per EU R	egulation EC	C1907/2006 to inc	lude re	cent add	lition of §	SVHC o	candidate	list of substa	nces in J	une 201	3.	

Save the fields in this form to a file	Evport Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cupplier Fields				
RoHS Material Composition Declaration Declaration Type * Detailed											
		ty limit of 0.1% by mass (100 Ethers (PBDE) and quantity					ominated Biphenyls (PBB),				
chromium, polybromina excess of an applicable gathered the information Company will rely on thi completing this form, ar certifications regarding conditions of that agree	ted biphenyls and/or polybrominate quantity limit, please indicate below it provides in this form using app s certification in determining the co d that Supplier may not have inde heir contributions to the part, and ment, including any warranty rights	ompliance of its products with European pendently verified such information. Ho those certifications are at least as comp	ricted substance?) in excess believe may apply. If the p y and that such information n Union member state laws owever, in situations where prehensive as the certificati hat agreement, will be the s	ss of the applicable quantity lim part is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independently ion in this paragraph. If the Co sole and exclusive source of the	it identified above. If a homoge evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges y verified information provided lo popany and the Supplier enter is a Supplier?s liability and the Co	eneous material within the part cor on shall encompass all such comp of the date that Supplier complete: s that Supplier may have relied on by others, Supplier agrees that, at into a written agreement with resp impany?s remedies for issues that	ntains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that information provided by others in a minimum, its suppliers have provided				
RoHS Declaration	n * 1 - Item(s) does not conta	ain RoHS restricted substances per the	he definition above			Supplier Acceptance *	Accepted				
	e declared item does not co all applicable exemptions.	ntain RoHS restricted substanc	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding re	esponse in the RoHS Declaration				
Declaration S	ignature										
In a family of the second	ward a factor and the factor of the second s	al Calaba and all manages of the last		a second se	• • • • •	and the second s	terrestring and - Distingthe stars				

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem			Homogeneous		Unit of		Level	Substance Category			Substance	CAS	Exempt		Unit of	Tolerance		PPM
		Name		Material	Weight	Measure		Level	oubstance outegory			oubstance		Lvempt	weight	Measure	-	+	
+I	-1	Die	+M -M	Doped Silicon	0.06207 [,]	Img	+C -C	Supplier		+S	-S	Si	7440-21-3		0.062071	mg			492,30
+I	-1	Epoxy Encapsulatic	+M -M	Proprietary Epox	0.0099	mg	+C -C	Supplier		+S	-s	Epoxy resin	29690-82-2		0.000991	mg			7,866
							+S	-s	Si Filler	7631-86-9		0.002975	mg			23,599			
										+S	-s	Acrylic Polymer	25067-01-0		0.000991	mg			7,866
										+S	-s	Carbon Black	1333-86-4		0.000495	mg			3,933
										+S	-s	Bisphenol A Diglycidyl	Proprietary		0.000297	mg			2,360
										+S	-s	Polyethylene teraphtha	25038-59-9		0.002975	mg			23,599
										+S	-s	Others	Proprietary		0.001190	mg			9,440
			+M -M	Proprietary Epox	0.0193	mg	+C -C	Supplier		+S	-s	Epoxy resin1	29690-82-2		0.002123	mg	· [16,841
		· · · · ·								+S	-s	Si (SiO2) Filler	7631-86-9		0.015442	mg			122,47
										+S	-s	Hardner	Proprietary		0.000386	mg			3,062
										+S	-s	Solvent	Proprietary		0.000965	mg			7,655
										+S	-s	Others	Proprietary		0.000386	mg			3,062
+I	-1	Lead (Ag)	+M -M	Ag	0.0096	mg	+C -C	Supplier		+S	-s	Ag	7440-22-4		0.0096	mg	ĺ		76,141
+I	-1	Lead finish (NiAu)	+M -M	NiAu	0.02519	mg	+C -C	В	Nickel (external applic	+S	-S	Nickel	7440-02-0		0.023165	mg			183,73
							+C -C	Supplier		+S	-s	Р	7723-14-0		0.002014	mg			15,977
										+S	-s	Au	7440-57-5		0.000009	mg			79