	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level par	s, the	declaratio	n encor	npasses all lo		erials for	which	ne item is an assembly the manufacturer has declaration.		
1/32-2 1.1		Web Site for Informat		-1752 Standa	rd	Form <sup>-</sup> Distrib		-		ation Class * - RoHS Yes	lass * S Yes/No, Homogeneous Materials and Mfg Informat					
Supplier Information																
Company Name *		Company Unique ID		Unique ID Au	Response Date *				Response Document ID							
SEMTECH CORPORATION 00-847-9941				DUNS	2014-08-12											
Contact Name * Roya Motamedi		Title - Contact QA Customer Servic	e Specialis			Email - Contact * rmotamedi@semtech.com			om	Duplicate Contact -> Authorized Representative						
Authorized Representati Roya Motamedi	Title - Representative QA Customer Servic		Phone - Rep (805) 389-27	Email - Representative * rmotamedi@semtech.com				Supplier Con	nments or UR	L for Add	ditional	Information				
Requester Item Number	r	Mfr Item Number		Mfr Item Name	Effective I	Date	Version Manufa		acturing Site	Weight *	UC	DM	Unit Type			
		RClamp2431TQTCT		Ultra-Low Ca	pacitance 1-Line E			China		0.799		mg	)	Each		
Alternate Recommenda	Alternate Recommendation					Alternate Item C			Item Co	omments				•		
Manufacturing Proces	ss In	formation														
Terminal Plating / Grid Array I	Materi	al	Terminal B	ase Alloy	J-STD-020 MSL Ra	ating Pe	ak Proc	ess Body	Temper	ature Max Tin	ne at Peak Tem	perature	Number	of Reflow Cycles		
Nickel/Palladium/Gold (Ni/Pd/Au) CU Alloy			,	260 (					<b>30</b> se	econds	3					
RClamp2431TQTCT is R	EAC	H-compliant produc	t, per EU	Regulation E	C1907/2006 to in	clude rec	ent ad	dition of	SVHC	candidate li	st of substar	nces in .	lune 20	14.		

Save the fields in this form to a file	Export Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cumption Fields						
<b>RoHS Material</b>	RoHS Material Composition Declaration Declaration Type * Detailed												
		limit of 0.1% by mass (100 thers (PBDE) and quantity	, .				ominated Biphenyls (PBB),						
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit, identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.													
RoHS Declaration	n * 1 - Item(s) does not contain	RoHS restricted substances per th	he definition above			Supplier Acceptance *	Accepted						
	declared item does not cont Il applicable exemptions.	ain RoHS restricted substanc	es per the definition a	bove except for defined	RoHS exemptions, then s	select the corresponding re	esponse in the RoHS Declaration						
Declaration Si	gnature												
		C 1 1 11 C (1 1 )				<b>T</b> 1: 10 11 1 4	D' i ll i						

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

## Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem				Homogeneous	VVOIGNT	Unit of		Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of	Tolerance		PPM
		Name			Material	Measure Level Cubstance Categ							Exempt	Weight	Measure	-	+			
+I	-1	Chip	+M	-м	Silicon Die	0.0364	mg	+C -C	Supplier		+S	-S	Silicon (Si)	7440-21-3		0.0364	mg			45,578
+I	-1	Lead Frame	+M	-м	C7025	0.358599	mg	+C -C	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.3439	mg			430,23
			-								+S	-S	Silicon (Si)	7440-21-3		0.0026	mg			3,253
											+S	-S	Magnesium (Mg)	7439-95-4		0.0006	mg			785
								+C -C	в	Nickel (external applic	+S	-s	Nickel	7440-02-0		0.0115	mg			14,356
			+M	-м	NiPdAu Plating	0.00919	Smg	+C -C	в		+S	-S	Nickel	7440-02-0		0.0083	mg			10,372
							•	+C -C	Supplier	middle plating	+S	-s	Pd	7440-05-3		8000.0	mg			943
								+C -C	Supplier	outer plating	+S	-s	Au	7440-57-5		0.0001	mg			188
+I	-1	Bonding Wire	+M	-м	Gold Wire	0.015	mg	+C -C	Supplier		+S	-s	Gold (Au)	7440-57-5		0.015	mg			18,802
+I	-1	Molding Compound	+M	-м	EME-G770HCD	0.35654	Smg	+C -C	Supplier		+S	-S	Silica Fused	60676-86-0		0.3334	mg			417,06
							•				+S	-s	Epoxy Resin	Proprietary		0.0107	mg			13,382
											+S	-s	Phenol Resin	Proprietary		0.0107	mg			13,382
											+S	-s	Carbon Black	1333-86-4		0.0018	mg			2,230
+I	-1	Die Attached Epoxy	+M	-м	8200TI	0.02353 <sup>-</sup>	Img	+C -C	Supplier		+S	-S	Silver (Ag)	7440-22-4		0.0188	mg			23,551
						•					+S	-s	Acrylate resins	Proprietary		0.0047	mg			5,888