	© Cop	terial Compo byright 2005. IPC, Bannock ternational and Pan-Americ	kburn, Illinois.	All rights reserve	tion with lower	level p	arts, the	declaratio	n encor	mpasses all		iterials for	which	ne item is an assembly the manufacturer has declaration.	
		Veb Site for Informati //www.ipc.org/IPC-1		-1752 Standa	rd		n Type * ibute			ation Class - RoHS Ye	Class * HS Yes/No, Homogeneous Materials and Mfg Informat				
Supplier Information															
Company Name *	-	Company Unique ID		Unique ID Au	thority	Response Date *				Response Document ID					
SEMTECH CORPORATION 00-847-9941				DUNS		2016-1	1-01								
Contact Name * Roya Motamedi		Title - Contact Supervisor, QA Product Support					Email - Contact * rmotamedi@semtech.co			Duplicate Contact -> Authorized Representative					
Authorized Representati Roya Motamedi	Title - Representative Supervisor, QA Prod		Phone - Rep 805-498-211 ⁻	Email - Representative * rmotamedi@semtech.com				Supplier Co	omments or UF	RL for Ad	ditional	Information			
Requester Item Number		Mfr Item Number		Mfr Item Name	Effectiv	ve Date Version Manut			ufacturing Site Weig		U	DM	Unit Type		
		SC1110TSTRT		Sink and Source DC/DC Contro		4		Malay		sia	54.66	m	g	Each	
Alternate Recommenda	ation				Alternate Ite			Item Co	omments			-			
Manufacturing Proces	s Inf	ormation													
Terminal Plating / Grid Array I	Vateria	al	Terminal Ba	ase Alloy	J-STD-020 MSL Ra	ting	Peak Proc	ess Body	Temper	ature Max T	Time at Peak Te	nperature	Number	of Reflow Cycles	
Nickel/Palladium/Gold (Ni/Pd/Au) CU Alloy				1		260			;	30 :	seconds	3			
SC1110TSTRT is REACH	l-com	pliant product, per	EU Regula	ation EC1907	/2006 to include	recent	addition	of SVHC	C candi	idate list of	f substances	n June 2	2016.		

Save the fields in this form to a file	Evport Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cupplier Fields
RoHS Materia	Composition Declar	ation				Declaration Type	* Detailed
		ty limit of 0.1% by mass (100 Ethers (PBDE) and quantity					ominated Biphenyls (PBB),
chromium, polybromina excess of an applicable gathered the information Company will rely on thi completing this form, ar certifications regarding conditions of that agree	ted biphenyls and/or polybrominate quantity limit, please indicate below it provides in this form using app s certification in determining the co d that Supplier may not have inde heir contributions to the part, and ment, including any warranty rights	ompliance of its products with European pendently verified such information. Ho those certifications are at least as comp	ricted substance?) in excess believe may apply. If the p y and that such information n Union member state laws owever, in situations where prehensive as the certificati hat agreement, will be the s	ss of the applicable quantity lim part is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independently ion in this paragraph. If the Co sole and exclusive source of the	it identified above. If a homoge evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges y verified information provided lo popany and the Supplier enter is a Supplier?s liability and the Co	eneous material within the part cor on shall encompass all such comp of the date that Supplier complete: s that Supplier may have relied on by others, Supplier agrees that, at into a written agreement with resp impany?s remedies for issues that	ntains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that information provided by others in a minimum, its suppliers have provided
RoHS Declaration	n * 1 - Item(s) does not conta	ain RoHS restricted substances per the	he definition above			Supplier Acceptance *	Accepted
	e declared item does not co all applicable exemptions.	ntain RoHS restricted substanc	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding re	esponse in the RoHS Declaration
Declaration S	ignature						
In a family of the second	ward a factor and the factor of the second s	al Calaba and all manages of the last		a second se	• • • • •	and the second sec	town - town

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem			Homogeneous		Unit of			Level	Substance Category			Substance	CAS	Exampt	Weight	Unit of	Tolerance		PPM
	Name			Material	weight	Measure			Levei	Substance Category			Substance	CAS	Exempt	weight	Measure	-	+	
+ -	Die	+M -	м	Doped Silicon	3	mg	+C	-C	Supplier		+S	-S	Si	7440-21-3		3	mg			54,881
+I -I	Lead frame	+M -	м	C7025 NiPdAu p	17.63	mg	+C	-C	Supplier		+S	-S	Copper	7440-50-8		16.57	mg			303,15
											+S	-s	Silicon	7440-21-3		0.092	mg			1,677
							+C	-C	в	Nickel (external applic	+S	-s	Nickel	7440-02-0		0.6047	mg			11,062
							+C	-C	Supplier		+S	-s	Magnesium	7439-95-4		0.02	mg			435
											+S	-s	Iron	7439-89-6		0.02	mg			323
											+S	-s	Zinc	7440-66-6		0.09	mg			1,613
											+S	-s	Manganese	7439-96-5		0.01	mg			161
							+C	-C	A	Lead/Lead Compound	+S	-s	Lead	7439-92-1		0.001	mg			10
							+C	-C	в	Nickel (external applic	+S	-s	Nickel	7440-02-0		0.2	mg			3,709
							+C	-C	Supplier		+S	-s	Palladium	7440-05-3	•	0.02	mg			323
						I					+S	-s	Gold	7440-57-5		0.003	mg			48
+ -	Wire	+M -	м	Gold	0.3	mg	+C	-C	Supplier		+S	-s	Au	7440-57-5	,	0.29	mg			5,488
	-										+S	-s	Others			0.00003	mg			1
+ -	Lead finish	+M -	м	Tin alloy	1.1	mg	+C	-c	Supplier		+S	-s	Sn	7440-31-5		1.1	mg			20,186
	-										+S	-s	Others			0	mg			2
+ -	Encapsulation	+M -	м	CEL-8240HF	31.27	mg	+C	-C	Supplier		+S	-s	Epoxy resin	Proprietary		1.88	mg			34,323
	_										+S	-s	Phenol resin	Proprietary		1.41	mg			25,742
											+S	-s	Silica	60676-86-0		27.3	mg			499,39
											+S	-s	С	1333-86-4		0.06	mg			1,144
											+S	-s	Others	Proprietary		0.63	mg			11,441