ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lower	level p	arts, the	declaration	encomp	asses all lo		terials for	which th	e item is an assembly ne manufacturer has leclaration.			
1752-2 1.1	1.1 IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x						1 21111 1910			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Information																	
Company Name *	Company Unique ID		Unique ID Au	Response Date *			Re	esponse Do	ocument ID								
SEMTECH CORPORATION		SEMTECH CORPOR	RATION			2017-0	02-23										
Contact Name *		Title - Contact		Phone - Con	Email - Contact *				D !		Δ (1		1				
Jeffrey Gabrielson		QA Customer Servic	e Specialis	805-498-211	jgabrielson@semtech.com			om	Duplica	ate Contact	-> Autho	orizea Re	epresentative				
Authorized Representative *		Title - Representative		Phone - Rep	Email - Representative *			Sı	Supplier Comments or URL for Additional Information								
Jeffrey Gabrielson		QA Customer Servic	e Specialis	805-498-211	jgabrielson@semtech.com			om									
Requester Item Number		Mfr Item Number		Mfr Item Name	Effective Date Ve		Version	Manufact	uring Site	Weight *	UC	OM	Unit Type				
		SC2738IMSTRT		ULTRA LOW	G		ľ	Malaysia		25.28	mg	g	Each				
Alternate Recommend	ecommendation				Alternat			tem Comments									
Manufacturing Proces	ss In	formation															
Terminal Plating / Grid Array Material			Terminal Ba	ase Alloy	J-STD-020 MSL Ra	ating	g Peak Process Body		Temperati	ıre Max Tir	Max Time at Peak Temp		Number	of Reflow Cycles			
Matte Tin (Sn)			CU Alloy	,	1			2	260 C		30 se		3				
Comments SC2738IMSTRT is a REA	\CH-c	ompliant product, p	er EU Reg	gulation EC1	907/2006 to inclu	de rece	ent additi	on of SVI	HC cand	lidate list (of substance	s in Jan	uary 201	7			

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of Measure	Tolerance		PPM
	Name		Material	weight	Measure			Levei	Substance Category			Substance	CAS				-	+	FFIVI
+1 -1	DIE CHIP	+M -M	Silicon Die	1	mg	+C -	.C	Supplier		+S	Ġ	Silicon (Si)	7440-21-3		1	mg			39,552
+1 -1	LEAD FRAME, MSO	+M -M	CDA194	9.9	mg	+C -	.C	Supplier		+S	Ş-	Copper (Cu)	7440-50-8		9.5624	mg			378,21
						+C	.c	A	Lead/Lead Compound	+S	-s	Lead	7439-92-1		0.0003	mg			12
						+C	.C	Supplier		+S	-S	Iron (Fe)	7439-89-6		0.2233	mg			8,834
										+S	-s	Phosphorous (P)	7723-14-0		0.0024	mg			94
										+S	-s	Zinc (Zn)	7440-66-6		0.0126	mg			497
										+S	-s	Silver (Ag)	7440-22-4		0.099	mg			3,916
+1 -1	DIE ATTACHED MA	+M -M	QMI519	0.52	mg	+C -	.C	Supplier		+S	Ş-	Silver (Ag)	7440-22-4		0.494	mg			19,539
										+S	-s	Di-Cyclopentenyloxyeth	68586-19-6		0.0234	mg			926
										+S	-s	Di-cumyl Peroxide	80-43-3		0.0026	mg			103
+1 -1	WIRE BONDING	+M -M	Gold Wire	0.31	mg	+C -	.C	Supplier		+S	Ş-	Gold (Au)	7440-57-5		0.31	mg			12,261
+1 -1	MOLDING COMPOU	+M -M	CEL8240HF10	12.87	mg	+C -	.C	Supplier		+S	Ş-	Epoxy Resin - 1	Proprietary		0.3861	mg			15,271
	-									+S	-S	Epoxy Resin - 2	Proprietary		0.3861	mg			15,271
										+S	-s	Phenol Resin	Proprietary		0.5792	mg			22,906
										+S	-s	Silica Fused	60676-86-0		11.2355	mg			444,38
										+S	-s	Carbon Black	1333-86-4		0.0257	mg			1,018
										+S	-s	Others	'		0.2574	mg			10,181
+1 -1	LEAD FINISH	+M -M	Tin Alloy	0.6833	mg	+C	.c	Supplier		+S	-S	Tin (Sn)	7440-31-5		0.6833	mg			27,025