ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoch nternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lower	level p	arts, the	declaratio	n encon	npasses a	all lower	level mate	rials for	which t	e item is an assembly he manufacturer has declaration.
1752-2 1.1		Web Site for Informati	rd	Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa								
Supplier Information															
Company Name *		Company Unique ID		Unique ID Authority			Response Date *			Response Docur					
SEMTECH CORPORATIO	SEMTECH CORPORATION 00-84		00-847-9941		DUNS		)4-25								
		Title - Contact Customer/Document Control S				Email - Contact * jvargo@semtech.com				Duplicate Contact -> Authorized Representative					
Authorized Representati Juluie Vargo	Title - Representative Customer/Document		Phone - Representative * Control St805-498-2711			Email - Representative * jvargo@semtech.com			Supplier	Commer	nts or URL	for Add	litional I	nformation	
Requester Item Number		Mfr Item Number		Mfr Item Name		Effective Date		Version	Manufa	facturing Site		Weight *		DM	Unit Type
		SC424MLTRT		6A Integrated FET Regula		wi						45.6	mg		Each
Alternate Recommend	ernate Recommendation				Alte		Alternate	ate Item Comments							
Manufacturing Proces	ss In	formation													
Terminal Plating / Grid Array	Materi	ial	Terminal Ba	ase Alloy	J-STD-020 MSL Ra	iting	Peak Proc	ess Body	Tempera	ature Ma	x Time at	Peak Temp	perature	Number	of Reflow Cycles
Matte Tin (Sn) CU Alloy				26			<b>260</b> C	260 C		30 seconds		3			
Comments SC424MLTRT is REACH	l-com	npliant product, per l	EU Regula	ation EC1907	/2006 to include t	the mo	st recent	additior	ns to th	e SVHC	candida	ate list of	substar	nces.	

Save the fields in this form to a file	Evport Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cupplier Fields
<b>RoHS Materia</b>	Composition Declar	ation				Declaration Type	* Detailed
		ty limit of 0.1% by mass (100 Ethers (PBDE) and quantity					ominated Biphenyls (PBB),
chromium, polybromina excess of an applicable gathered the information Company will rely on thi completing this form, ar certifications regarding conditions of that agree	ted biphenyls and/or polybrominate quantity limit, please indicate below it provides in this form using app s certification in determining the co d that Supplier may not have inde heir contributions to the part, and ment, including any warranty rights	ompliance of its products with European pendently verified such information. Ho those certifications are at least as comp	ricted substance?) in excess believe may apply. If the p y and that such information n Union member state laws owever, in situations where prehensive as the certificati hat agreement, will be the s	ss of the applicable quantity lim part is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independently ion in this paragraph. If the Co sole and exclusive source of the	it identified above. If a homoge evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges y verified information provided lo popany and the Supplier enter is a Supplier?s liability and the Co	eneous material within the part cor on shall encompass all such comp of the date that Supplier complete: s that Supplier may have relied on by others, Supplier agrees that, at into a written agreement with resp impany?s remedies for issues that	ntains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that information provided by others in a minimum, its suppliers have provided
RoHS Declaration	n * 1 - Item(s) does not conta	ain RoHS restricted substances per the	he definition above			Supplier Acceptance *	Accepted
	e declared item does not co all applicable exemptions.	ntain RoHS restricted substanc	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding re	esponse in the RoHS Declaration
Declaration S	ignature						
In a family of the second	ward a factor and the factor of the second s	al Calaba and all manages of the last		a second se	• • • • •	and the second s	town - town

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

## Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous		Unit of		Level	Substance Category			Substance	CAS	Exempt	Woight		Tolerance		PPM
	Name		Material	weight	Measure		Level	Substance Category			Substance		Exempt	weight	Measure	-	+	FEIM
+1 -1	Die	+M -M	Doped Silicon	2.25	mg	+C -(	Supplier		+S	-S	Si	7440-21-3		2.25	mg			49,342
+I -I	Lead frame	+M -M	C194 Ag plated	16.43	mg	+C -(	Supplier		+S	-S	Cu	7440-50-8		15.87	mg		:	348,02
									+S	-s	Fe	7439-89-6		0.37	mg			8,128.5
						+C -(	A	Lead/Lead Compound	+S	-s	Lead	7439-92-1		0	mg			10.809
						+C -(	Supplier		+S	-s	Phosphorus	7723-14-0		0	mg			86.473
								•	+S	-s	Z	7440-66-6		0.021	mg			457.58
									+S	-s	Ag	7440-22-4		0.16	mg			3,603.0
+  -	Die attach material	+M -M	QMI519 Conduct	0.58	mg	+C -(	Supplier		+S	-S	Ag	7440-22-4		0.41	mg		2	9,030.7
							-	•	+S	-s	Carbocycllic Acrylate	Proprietary		0.12	mg			2,543.8
									+S	-s	Bismaleimide resin	Proprietary		0.017	mg			381.57
									+S	-s	Acrylate	Proprietary		0.0174	mg			381.57
									+S	-s	Additive	Proprietary		0.0174	mg			381.57
+  -	Wire bonding	+M -M	Gold	0.87	mg	+C -(	Supplier		+S	-S	Au	7440-57-5		0.87	mg			19,077
							-	•	+S	-s	others	Proprietary		0.00009	mg			1.9078
+  -	Encapsulation	+M -M	EME-G770HCD	24.45	mg	+C -(	Supplier		+S	-s	Silica fused	60676-86-0		22.91	mg			502,40
									+S	-s	Epoxy resin	Proprietary		0.734	mg			16,085
									+S	-s	Phenol resin	Proprietary		0.734	mg			16,085
									+S	-s	Carbon Black	1333-86-4		0.073	mg			1,608.5
+  -	Lead Finish	+M -M	Tin	1.02	mg	+C -(	Supplier		+S	-S	Sn	7440-31-5		1.02	mg			22,366
			-	•				•	+S	-s	Others	Proprietary		0	mg			2.2368