ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Copyright 2005. IPC, Bar both international and Pan-Au	nnockburn, Illinois.	. All rights reserve	tion with lower	level pa	rts, the	declaratior	n encom	npasses a	ll lower	level mater	ials for	which t	e item is an assembly he manufacturer has declaration.
1752-2 1.1	IPC Web Site for Inform http://www.ipc.org/IP	rd	Form Distril	Type * bute			claration Class * Iss 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Information														
Company Name *	Company Unique	ID	Unique ID Au	Ithority	Response Date *				Response Document ID					
SEMTECH CORPORATIO	<b>DN</b> 00-847-9941		DUNS		2019-04	-29								
Contact Name *		Phone - Con	tact *	Email -	Contac	t *		_		<b>a</b>				
Mary Mason	QA Customer Su	A Customer Support Specialis805-498-2111			mmason@semtech.com				Duplicate Contact -> Authorized Representative					
Authorized Representati	ative	Phone - Rep	resentative *	Email - Representative *			*	Supplier Comments or URL for Additional Information						
Mary Mason	QA Customer Su	pport Specialis	805-498-211 <sup>,</sup>	mmason@semtech.com			n							
Requester Item Numbe	r Mfr Item Number		Mfr Item Name	Effective	ective Date Version Manut			ufacturing Site		Weight *	UC	M	Unit Type	
	SMBJ7.0CA		Transient Volt	tage Suppressor 6			China		à		95	mg	J	Each
Alternate Recommend	ation					Alternate	ate Item Comments							
Manufacturing Proces	ss Information													
Terminal Plating / Grid Array	Material	Terminal Ba	ase Alloy	J-STD-020 MSL Ra	ating P	eak Proc	ess Body	Tempera	ature Max	Time at	Peak Tempe	erature	Number	of Reflow Cycles
Tin (Sn) CU Allo				1		260 (				30 seconds 3				
Comments SMBJ7.0CA is not REA	CH-compliant product	, per EU Reg	ulation EC19	07/2006 to includ	e recent	t additic	on of SVH	IC can	didate lis	t of sub	ostances in	n Janu	ary 201	9.

Save the fields this form to a fil	Export Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Materia	al Composition Declara	ation				Declaration Type *	Detailed
		y limit of 0.1% by mass (100 Ethers (PBDE) and quantity	, .			avalent Chromium, Polybromin r Cadmium	ated Biphenyls (PBB),
chromium, polybromina excess of an applicable gathered the information Company will rely on the completing this form, a certifications regarding conditions of that agree	ated biphenyls and/or polybrominate e quantity limit, please indicate below on it provides in this form using appr- nis certification in determining the co- nd that Supplier may not have indep their contributions to the part, and t ement, including any warranty rights	d diphenyl ethers (each a ?RoHS restr v which, if any, RoHS exemption you b opriate methods to ensure its accuracy mpliance of its products with Europear vendently verified such information. Ho hose certifications are at least as comp	icted substance?) in excess elieve may apply. If the p and that such information i I Union member state laws wever, in situations where rehensive as the certification at agreement, will be the so	s of the applicable quantity lim art is an assembly with lower I s true and correct to the best of that implement the RoHS Dire Supplier has not independent on in this paragraph. If the Co ole and exclusive source of the	it identified above. If a homo evel components, the declara of its knowledge and belief, a ctive. Company acknowledg y verified information provide mpany and the Supplier ente 2 Supplier?s liability and the C	t identified on this form contains lead, mer geneous material within the part contains a stion shall encompass all such components s of the date that Supplier completes this fi es that Supplier may have relied on inform d by others, Supplier agrees that, at a mini er into a written agreement with respect to Company?s remedies for issues that arise apply.	a RoHS restricted substance in s. Supplier certifies that it orm. Supplier acknowledges that lation provided by others in imum, its suppliers have provided the identified part, the terms and
RoHS Declarati	on * 2 - Item(s) contains RoHS	restricted substances above the lim	its per the definition and is	s not under exemption		Supplier Acceptance * Accept	oted
	e declared item does not cor all applicable exemptions.	ntain RoHS restricted substance	es per the definition a	bove except for defined	RoHS exemptions, the	n select the corresponding respon	se in the RoHS Declaration
Declaration S	Signature						
		d fields on all pages of this f er) and click on Submit Form				down. This will display the sig	nature area. Digitally sign

Supplier Digital Signature

## Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

		Item/SubItem		Homogeneous	Weight	Unit of			_evel	Substance Category			Substance	CAS	Exempt	Weight	Unit of	Tolerance		PPM
		Name		Material	weight	Measure			-6461	Substance Category			Substance	CAS	Exempt	weight	Measure	-	+	FEIVI
+I	-1	Dice +	м-м	Silica Compound	4.6	mg	+C -	cs	upplier		+S	-S	Si	7440-21-3		4.439	mg			47,731
							+C -	CA	<b>`</b>	Lead/Lead Compound	+S	-S	Lead (II) oxide	1317-36-8		0.115	mg			1,237
							+C -	Св		Nickel (external applic	+S	-S	Nickel	7440-02-0		0.046	mg			495
+I	-1	Solder Paste +	м-м	High-melting poi	2.33	mg	+C -	CA		Lead/Lead Compound	+S	-S		7439-92-1	7a. Lead	2.155	mg			23,175
					•		+C -	C s	Supplier		+S	-s	Sn	7440-31-5		0.117	mg			1,253
						-					+S	-S	Ag	7440-22-4		0.058	mg			626
+I	-1	Lead Frame & Clip +	м-м	Copper Alloy	40.48	mg	+C -	cs	upplier		+S	-S	Cu	7440-50-8		40.46	mg			435,05
					•						+S	-S	Zn	7440-66-6		0.002	mg			17
											+S	-S	Fe	7439-89-6		0.004	mg			44
											+S	-S	Р	7723-14-0		0.014	mg			148
+I	-1	Epoxy material +	м-м	(EK-1700GS)Gre	44.66	mg	+C -	cs	upplier		+S	-S	Silica fused	60676-86-0		35.728	mg			384,17
											+S	-s	Epoxy resin	29690-82-2		6.252	mg			67,230
											+S	-S	Phenolic resin	9003-35-4		2.903	mg			31,214
											+S	-S	Carbon black	1333-86-4		0.223	mg			2,401
+I	-1	Plating cover +	м-м	Sn plating cover	0.93	mg	+C -	C s	upplier		+S	-S	Sn	7440-31-5		0.925	mg			9,950