ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level p	arts, the	declaratio	n encom	passes all		materials fo	or which t	e item is an assembly he manufacturer has declaration.		
1752-2 1.1	1.1 IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x							-	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat							
Supplier Information																
Company Name *		Company Unique ID		Unique ID Au	Response Date *			F	Response Document ID							
Semtech Corporation		SEMTECH CORPOR	RATION		2016-0	8-03										
Contact Name *		Title - Contact		Phone - Con	Email	- Contac	t *		D	:	t A t l					
Elvia Finkel		Specialist, Documen	t Control/C	805-498-211	efinkel@semtech.com				Dupli	icate Conta	act -> Autr	iorizea R	epresentative			
Authorized Representati	ive *	Title - Representative	Э	Phone - Rep	Email	Email - Representative *			Supplier C	omments or	URL for Ad	dditional I	nformation			
Elvia Finkel		Specialist, Documen	t Control/C	805-498-211	1	efinke	l@semte	ch.com								
Requester Item Number		Mfr Item Number		Mfr Item Name	Effectiv	e Date	Version	ion Manufacturir		Weigh	it *	IOM	Unit Type			
		SX1231IMLTRT		Low Power In	ın			Malaysia		0.069	85 n	ng	Each			
Alternate Recommend	ation							Alternate Item Co		nments		•		•		
Manufacturing Proces	ss In	formation														
Terminal Plating / Grid Array Material Terminal I				ase Alloy	J-STD-020 MSL R	ating	Peak Process Body Tempe			ture Max	Temperature	perature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CU Allo					2				260 C		30 se		3			
Comments					1					I			-1			
SX1231IMLTRT is REAC	Н-соі	mpliant product, pe	r EU Regu	lation EC190	7/2006 to include	e recen	t addition	of SVH	C candi	date list o	of substanc	es in Dece	mber 20	15		

Form enabled by Adobe

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a ?RoHS restricted substance?) in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier?s liability and the Company?s remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem			Homogeneous		Unit of			Level	Substance Category			Substance	CAS	Evemnt	Weight	Unit of	Tolerance		РРМ
	Name			Material	weight	Measure			Levei	Substance Category			Substance	CAS	Exempt	weight	Measure	-	+	FFIN
+1 -1	Die	+M	-M	Silicon Chip	0.00274	mg	+C	-C	Supplier		+S	-S	Si	7440-21-3		0.000359	mg		;	39,226
+1 -1	Lead Frame	+M	-M	Ag Plated Cu C1	0.02633	mg	+C	-C	Supplier		+\$	-S	Cu	7440-50-8		0.02523	mg		;	364,09
	_										+S	-s	Iron	7439-89-6		0.00059	mg			8,504.0
							+C	-C	A		+S	-s	Lead	7439-92-1		0	mg			11.308
							+C	-C	Supplier		+S	-s	Phosphorous	7723-14-0		0.0001	mg			90.468
											+S	-s	Zinc	7440-66-6		0.000033	mg			478.72
											+S	-s	Silver	7440-22-4		0.00026	mg			3,769.5
+1 -1	Die attach material	+M	-M	Conductive epox	0.00061	mg	+C	-c	Supplier		+S	-s	Silver	7440-22-4		0.00043	mg			6,200.4
	-				•			•			+S	-s	Carbocycllic Acrylate	Proprietary		0.00012	mg			1,746.5
											+S	-s	Bismaleimide resin	Proprietary		0.000018	mg			261.98
											+S	-s	Acrylate	Proprietary		0.000018	mg			261.98
											+S	-s	Additive	Proprietary		0.000018	mg			261.98
+1 -1	Wire	+M	-M	Gold	0.00048	mg	+C	-C	Supplier		+S	-s	Au	7440-57-5	•	0.00048	mg			6,871.1
											+S	-s	Others	N/A		0.000000	mg			0.6871
+1 -1	Encapsulation	+M	-M	EME-G770HCD	0.03805	mg	+C	-C	Supplier		+S	-s	Silica Fused	60676-86-0	•	0.035653	mg		;	510,42
											+S	-s	Epoxy Resin	Proprietary		0.001142	mg			16,342
											+S	-s	Phenol Resin	Proprietary		0.001142	mg			16,342
											+S	-s	Carbon Black	1333-86-4		0.000114	mg			1,634.2
+1 -1	Lead Finish	+M	-M	Tin	0.00164	mg	+C	-C	Supplier		+S	-S	Sn	7440-31-5		0.00164	mg			23,476
	_				•						+S	-s	Others	N/A		0	mg			2.3478