	© Co	terial Compo pyright 2005. IPC, Bannoc Iternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level pa	arts, the	declaratio	n encor		er level mate	erials for	which t	e item is an assembly he manufacturer has declaration.	
1/32-2 1.1		Web Site for Informat	Form Distr	Type * ibute	-		ation Class * - RoHS Yes/N	ass * 6 Yes/No, Homogeneous Materials and Mfg Informat							
Supplier Information															
Company Name *		Company Unique ID		Unique ID Au	Response Date *				Response Document ID						
		SEMTECH CORPOR	RATION			2012-05-08									
Contact Name * Title - Co		Title - Contact					Email - Contact *			Duplicate Contact -> Authorized Representative					
ROYA READER Quality Assurance Cust			ustomer Se	S 6805-389-2742			rreader@semtech.com			· · · ·					
Authorized Representative * Title - Representative			Э	Phone - Rep	Email - Representative *			Supplier Comr	nents or URL	for Add	ditional I	nformation			
ROYA READER		Quality Assurance C	ustomer S	805-389-274	rreader@semtech.com										
Requester Item Number		Mfr Item Number		Mfr Item Name	9	Effective	e Date	Version	Manufa	acturing Site	turing Site Weight *		DM	Unit Type	
		SX1233IMLTRT		High Bit Rate				Malays	sia	65.9601	mg		Each		
Alternate Recommenda	tion				Alternate Item C			Item Co	omments			-			
Manufacturing Proces	s Inf	formation								·					
Terminal Plating / Grid Array N	<i>l</i> ateri	al	Terminal Ba	ase Alloy	J-STD-020 MSL Ra	iting [Peak Proc	ess Body	Temper	ature Max Time	at Peak Tem	perature	Number	of Reflow Cycles	
Matte Tin (Sn) - annealed CU Alloy				260			260 C		conds	3					
Comments SX1233IMLTRT is REAC	H-co	mpliant product, pe	er EU Regu	Ilation EC190	07/2006 to include	e recen	t additio	n of SVI	IC can	didate list of s	ubstances i	n Febru	uary 201	2	

Save the fields in this form to a file	Evport Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cupplier Fields				
RoHS Material Composition Declaration Declaration Declaration Type * Detailed											
		ty limit of 0.1% by mass (100 Ethers (PBDE) and quantity					ominated Biphenyls (PBB),				
chromium, polybromina excess of an applicable gathered the information Company will rely on thi completing this form, ar certifications regarding conditions of that agree	ted biphenyls and/or polybrominate quantity limit, please indicate below it provides in this form using app s certification in determining the co d that Supplier may not have inde heir contributions to the part, and ment, including any warranty rights	ompliance of its products with European pendently verified such information. Ho those certifications are at least as comp	ricted substance?) in excess believe may apply. If the p y and that such information n Union member state laws owever, in situations where prehensive as the certificati hat agreement, will be the s	ss of the applicable quantity lim part is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independently ion in this paragraph. If the Co sole and exclusive source of the	it identified above. If a homoge evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges y verified information provided lo popany and the Supplier enter is a Supplier?s liability and the Co	eneous material within the part cor on shall encompass all such comp of the date that Supplier complete: s that Supplier may have relied on by others, Supplier agrees that, at into a written agreement with resp impany?s remedies for issues that	ntains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that information provided by others in a minimum, its suppliers have provided				
RoHS Declaration	n * 1 - Item(s) does not conta	ain RoHS restricted substances per the	he definition above			Supplier Acceptance *	Accepted				
	e declared item does not co all applicable exemptions.	ntain RoHS restricted substanc	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding re	esponse in the RoHS Declaration				
Declaration S	ignature										
In a family of the second	ward a factor and the factor of the second s	al Calaba and all manages of the last		a second se	• • • • •	and the second s	terrestring and - Distingthe stars				

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of		Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of Measure	Tolerance		РРМ
	Name		Material	weight	Measure		Level	Substance Category			Substance	CAS				-	+	
+ -	Leadframe	+M -M	A194	28.2369	mg	+C -C	Supplier		+S	-S	Cu	7440-50-8		27.531	mg		4	417,38
		_							+S	-S	Fe	7439-89-6		0.6636	mg			10,060
									+S	-S	Zn	7440-66-6		0.0339	mg		ļ	513.71
									+S	-S	Р	7723-14-0		0.0085	mg			128.43
		+M -M	Die attached pac	0.2252	mg	+C -C	Supplier		+S	-S	Ag	7440-22-4		0.2252	mg		;	3,413.6
+ -	Die attach material	+M -M	8290	0.5227	mg	+C -C	Supplier		+S	-S	Silver	7440-22-4		0.392	mg		ļ	5,943.1
	-								+S	-S	Epichlorohydrin-formal	9003-36-5		0.0261	mg			396.21
									+S	-S	Epoxy resin	68475-94-5		0.0261	mg			396.21
									+S	-S	Lactone	96-48-0		0.0261	mg			396.21
									+S	-S	Polyoxypropylenediam	9046-10-0		0.0261	mg			396.21
									+S	-S	2,6-Diglycidyl phenyl al	Proprietary		0.0261	mg			396.21
+ -	Bonding Wire	+M -M	Gold Wire	0.481	mg	+C -C	Supplier		+S	-S	Au	7440-57-5		0.4809	mg		Ī	7,290.8
+ -	Tin Plating	+M -M	Pure Tin	0.302	mg	+C -C	Supplier		+S	-S	Sn	7440-31-5		0.302	mg		'	4,577.8
+ -	Mold Compound	+M -M	EME-G770HCD	32.7265	mg	+C -C	Supplier		+S	-S	Silica Fused	60676-86-0		30.0102	mg		'	454,97
									+S	-s	Epoxy Resin	Proprietary		1.3091	mg			19,846
									+S	-s	Phenol Resin	Proprietary		1.3091	mg			19,846
									+S	-s	Carbon Black	1333-86-4		0.0982	mg			1,488.4
+I -I	Die	+M -M	Doped silicon	3.4659	mg	+C -C	Supplier		+S	-S	Si	7440-21-3		3.4659	mg		ļ	52,545