ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo byright 2005. IPC, Bannoc ternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	r level p	arts, the	declaration	n encon		lower	level mate	erials for	which th	item is an assembly e manufacturer has eclaration.	
1752-2 1.1 IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x						Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat							
Supplier Information																
Company Name *	Company Unique ID		Unique ID Au	Response Date *				Response Document ID								
SEMTECH CORPORATION		00-847-9941		DUNS	2014-02-27											
Contact Name *		Title - Contact		Phone - Cor	Email - Contact *											
ROYA MOTAMEDI		QA Customer Servic	e Specialis	805-389-274	rmota	rmotamedi@semtech.com			Dupli	icate	Contact -	·> Autho	rized Re	presentative		
Authorized Representative		Title - Representative	9	Phone - Rep	Email - Representative *			*	Supplier Comments or URL for Additional Information							
ROYA MOTAMEDI		QA Customer Service	e Specialis	805-389-274	rmotamedi@semtech.com			om								
Requester Item Number		Mfr Item Number		Mfr Item Name	e	Effectiv	/e Date	Version Manuf		acturing Site Wei		Neight *	UC	M	Unit Type	
		UClamp0512Z.TFT	lamp0512Z.TFT									0.1229		1	Each	
Alternate Recommend	dation				Alternate It			Item Co	n Comments							
Manufacturing Proces	ss Inf	formation				_										
Terminal Plating / Grid Array Material			Terminal Base Alloy		J-STD-020 MSL Rating		g Peak Process Bo		s Body Temperatur		ture Max Time at Peak Tem		perature Number of Re		f Reflow Cycles	
Nickel/Gold (Ni/Au)			Not Applicable		1				<b>260</b> C		<b>30</b> so		econds 3			
Comments  UClamp0512Z.TFT is RE	EACH	-compliant product	, per EU R	egulation EC	C1907/2006 to inc	lude re	ecent add	lition of S	SVHC c	andidate l	list of s	substance	es in De	ecember	2013.	

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type \*** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a ?RoHS restricted substance?) in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier?s liability and the Company?s remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance \* Accepted **RoHS Declaration \*** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature** 

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

## **Homogeneous Material Composition Declaration for Electronic Products**

**Subltem Instructions:** The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

**Substance Instructions:** [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous		Unit of		Lev	/ol	Substance Category			Substance	CAS	Evemnt	Weight	0	Tolerance		PPM
	Name		Material	Weight	Measure		Lev	761	Substance Category			Substance	CAS	Lvellibr	weight	Measure	-	+	
+1 -1	Die	+M -M	Silicon Chip	0.062071	lmg	+C -C	Supp	plier		+S	-S	Si	7440-21-3		0.062071	mg			505,05
+1 -1	Epoxy Encapsulation	+M -M	Epoxy-4(P)	0.0107	mg	+C -C	Supp	plier		+S	-S	Diethylene Glycol Mono	112-15-2		0.002357	mg			19,179
		•	-							+S	-S	Dipropylene Glycol Mor	88917-22-0		0.00075	mg			6,102
										+S	-S	Acetophenone Derivativ	71868-10-5		0.000857	mg			6,974
										+S	-S	Dipropylene Glycol Mor	34590-94-8		0.000642	mg			5,231
										+S	-S	Others	Proprietary		0.006106	mg			49,690
		+M -M	Epoxy-3(H)	0.0145	mg	+C -C	Supp	plier		+S	-S	Epoxy resin	29690-82-2		0.001598	mg			13,004
			-							+S	-S	Si (SiO2) Filler	7631-86-9		0.011623	mg			94,573
										+S	-S	Hardner	Proprietary		0.000290	mg			2,364
										+S	-S	Solvent	Proprietary		0.000726	mg			5,911
										+S	-S	Others	Proprietary		0.000290	mg			2,364
+1 -1	Lead	+M -M	Ag	0.0104	mg	+C -C	Supp	plier		+S	-S	Ag	7440-22-4		0.010395	mg			84,586
+1 -1	Lead Finish	+M -M	NiAu	0.02519	mg	+C -C	В		Nickel (external applic	+S	-S	Nickel	7440-02-0		0.023164	mg			188,48
				<u> </u>		+C -C	Supp	plier		+S	-S	Au	7440-57-5		0.000010	mg			82